

BRAWN GROUP OF COMPANIES



BRAWN GROUP OF COMPANIES is offering a better life for the people across the globe. We offer healthcare solutions at the highest level to our customer. We are accredited global healthcare company, which is empowered by one of the leading pioneer in the healthcare industry **Mr. BR Gupta,** Managing Director.





B.R. GuptaManaging Director

As a medical representative, the chasing of a big dream of serving the common man with quality medicines and anti-cancer drugs at affordable price was far from possible. What followed over the years has been the reward of sheer perseverance, passion, zeal and enthusiasm. This journey with its own ups and downs has reinforced my belief that 'Nothing is impossible', provided one religiously follows the core values- Focus, Quality, Unwavering Ethics, Transparency, Commitment and Customer Satisfaction, needless to say our strengths at **BRAWN.**



MISSION

"To provide affordable research based quality formulations, products and services across the globe through research, innovation, development and collaborations."

Upcoming USFDA/EU GMP

compliant plant in Halol, Gujarat











CORPORATE OFFICE

RESEARCH & DEVELOPMENT UNIT





FARIDABAD PLANT

BRAWN BIOTECH LTD.

We Are Specialized In Manufacturing & Marketing A Wide Variety of Medical Devices











Our Global Offices

• Bolivia • Texas USA • Dubai • Myanmar • Panama • Philippines • Uzbekistan • Vietnam • Sri Lanka

SBRG Med Tech

SBRG Med Tech is committed to adding excellence in healthcare. We manufacture best medical devices. We have incorporated the latest technology and tools with the fully automated assembly systems to achieve highest quality.

Our team of experts make sure that the products offered by us fully meets the medical standards and Accuracy.

"SBRG Med Tech embracing the goal by adding smiles to your life."







MDR_CE Certificate



ISO 13485:2016 Certification

Contents

| Infusion/Transfusion Therapy |
|------------------------------|
| |

| Safety Intravenous Cannula / Intravenous Cannula | 5 |
|--|---|
| Needle Free Connector / Photosensitive | 6 |
| Central Venous Catheters | 6 |
| Three Way Stop Cock / with Extension Line | 7 |
| IV Flow Regulator | 7 |
| I.V Set with Auto Air Stop & Priming Filter | 8 |
| Infusion Set for Single Use | 8 |
| Intravenous Infusion Set Wing type Drip Chamber | 8 |
| Measured Volume Set (Burette Set) | 9 |
| Blood Administration Set / Blood Transfusion Set | 9 |
| | |

Anaesthesia & Respiratory Care

| · | |
|--|----|
| Suction Catheter | 9 |
| Nasal Oxygen Catheter / Oro-Pharyngeal Airways | 10 |
| Rebreathing Oxygen Face Mask | 10 |
| Endotracheal Tube / Spirometer - Lungs Exerciser | 11 |
| Ventilator Circuits | 11 |
| | 12 |
| Nebulizer Mask / Heat and Moisture Exchange Filter | 12 |


Urology

| <u> </u> | |
|---|----------|
| Closed-Ended Wearable Urine Collection Bag Foley Balloon Catheter / Nelaton Catheter | 12 13 |
| Gastroenterology | |
| Ryles Tube Levine Tube / Feeding Tube | 13 14 |
| | |
| Surgery and Wound Drainage | |
| Surgery and Wound Drainage Under Water Seal Drainage System Yankauer Suction Tube & Set with Handle | 14 15 |
| Under Water Seal Drainage System | |



Safety IV Cannula with injection port & with wings

CODE: 01010614-01011024



Transparent flashback chamber

Size: 14G to 24G

CANNV NEO

Safety IV Cannula without injection port & without wings

CODE: 01011114-01011524



Size: 14G to 24G



Safety Catheter Closure



Size: 18G to 24G

PERIFUSION

I.V. Cannula without injection port & without wings

CODE: 01011614-01012026



Size: 14G to 26G

PERIFUSION NEO

I.V. Cannula without injection port & with small wings

CODE: 01012124-01012126



Size: 24G to 26G

Common feature of Cannula

- Flexible wings allow easy and secure fixation (Model: Cannv & Perifusion).
- The finest polyurethane catheter material guarantees super softness and longer indwelling time.
- Injection port for intermittent medication (Model: Cannv & Perifusion).
- An easy visualization blood in flashback chamber enables successful cannulation.
- Options available include:
 - FEP catheter
 PUR Catheter
 Hydrophobic filter
- DEHP Free, PVC Free, Latex Free
 Radiopaque for X-Ray Visualization

| | | Size | Catheter O.D mm | Catheter Length (mm) | Flow Rate (ml/min) |
|--|-----|--------|--------------------|-------------------------|-------------------------|
| | 14G | Orange | 2.1 | 45 | 270 |
| | 16G | Grey | 1.7 | 45 | 200 |
| | 17G | White | 1.5 | 45 | 125 |
| | 18G | Green | 13 | 32 | 90 |

| | Size | Catheter O.D mm | Catheter Length (mm) | Flow Rate (ml /min) |
|-----|--------|--------------------|-------------------------|--------------------------|
| 18G | Green | 1.3 | 45 | 90 |
| 20G | Pink | 1.1 | 32 | 60 |
| 22G | Blue | 0.9 | 25 | 36 |
| 24G | Yellow | 0.7 | 19 | 23 |



MEEDLE FREE CONNECTOR

Needle free Connector with & without Extension Line

Features

CODE: 01070108-01070611

- Fast and safe access to the infusion line.
- Reduced risk of accidental puncture and infection for healthcare professionals.
- Manufactured from tested biocompatible materials offering longer indwelling time
- Reduction of the risk of device occlusion.
- Available standalone and with tubing like mono, duo, trio, quatro, penta with different tube size.
- DEHP Free, Latex Free



NEUTRAL DISPLACEMENT TECHNOLOGY (Photosensitive)

EXTENSION SETS

Extension Sets

Features

CODE: 01040101 -01040213

- Super smooth inner profile of tube ensures uniform flow rate.
- Male luer connector with cap at one end and female luer lock connector at another end.
- Transparent, Kink resistant Tubing.
- Universal 6% taper Male connection.
- Bio-compatible material & Customized the tube length with inner & outer diameter
- DEHP Free, Latex Free



EX HIGHLINEHigh Pressure Extension Sets

EX LOWLINELow Pressure Extension Sets

CENTRAL VENOUS CATHETERS

CODE: 07010802-07033207

Central Venous Catheters

- Some CVCs have two or three separate channels (lumens) within the catheter, enabling the administration of different medications simultaneously.
- Common access points include the internal jugular vein (neck), subclavian vein (chest), or sometimes the basilic vein in the arm.
- The catheter tip is positioned in the superior vena cava, a large vein near the heart.
- Made from a soft, flexible material to minimize discomfort and irritation.
- The catheter is secured in place with a special dressing to prevent movement and potential complications.
- DEHP Free, PVC Free, Latex Free



T-WAY

Three Way Stop Cock

Features

- Smooth Rotation of Handle align easily fluid path.
- Fully validated and can sustain pressure upto 6 bar.
- Fully transparent material allow clear visualization of fluid / medicine.
- Compatibility with other standard accessories.
- Compatible with Lipid drugs also.
- 360° rotation.
- DEHP Free, PVC Free, Latex Free



CODE: 01030101-01030203

T-WAY-EX

Three Way Stop Cock with Extension Line

CODE: 01050101-01050213

Features

- Smooth Internal path without any flow turbulence.
- Fully transparent and bio-compatible material.
- Transparent, Kink resistant Tubing.
- Universal 6% taper male-female connection.
- DEHP Free, Latex Free



IV FLOW REGULATOR

IV Flow Regulator

Features

- Super smooth kink resistance tubing ensures uniform flow rate.
- Designed to control flow rate from 5ml/hr 250 ml/hr manually.
- Option available with "Y" connector injection site for extra medication without disturbing the main line.
- Universal Male and female luer lock makes it compatible with other devices.

CODE: 01090101

DEHP Free, Latex Free



VSET STOP PROTEKTTM

I.V Set with Auto Air Stop & Priming Filter

Features

- Clear spike compatible with I.V. bottles
- Unique designed ring in drip chamber for secure griping
- Flexible drip chamber for easy and fast priming (Drop rate 20 drops/mL)
- DEHP free reduces phthalate related toxicity thus ensures Patient Safety
- Standard tube length: 180 cms & Latex Free
- Also available with "Y" injection port (latex free), Back check valve, Needle free Y-site & Stop cock



VSET STOP/LUER/LUER PLUS

Infusion Set for Single Use/Vented/Non-Vented

Features

• Sharp air vented spike easily puncture fluid bottle without any unwanted leakage.

CODE: 01020101-01020102

- Smooth Internal path without any flow turbulance.
- Regulator, regulates the volume of flow.
- Transparent, Kink resistant Tubing. Universal 6% taper Male connection.
- Wing Type attractive design available in vented/Non-Vented features.
- Also available with Y Connector & Luer Lock

INTRAVENOUS INFUSION SET

CODE: 01020105-01020106

Intravenous Wing type Drip Chamber

Features

- Sharp air vented spike easily punctures fluid bottle without any
- unwanted leakage

Smooth Internal path without any flow turbulence

- Regulator regulates the volume of flow
- Transparent, Kink resistant Tubing
- Universal 6% taper Male connection
- Available in Vented/Non-Vented
- Available in attractive wing type drip chamber Big and rotating luer lock





MVF SET

Measured Volume Set

Features

CODE: 01060101-01060103

- Specialized measured volume set made up of DEHP free material.
- Equipped with a micro drip with reduced drop size of 60 drops per ml.
- Provided with a burette type chamber of 100 ml capacity with 10 ml overflow limit.
- No-kink device prevents kinking of tube during transportation and transfers.
- Sterile, individually packed.
- DEHP Free, Latex Free

OPTIONS AVAILABLE

- Capacity: 100ml, 110ml & 150ml
- Drop Rate: 60 drops/ml



SB BLOOD FLOW SET

Blood Transfusion Set/Blood Administration Set

Features

CODE: 05010101-05030502

- Sharp non-vented spike suitable for blood bags and all type of standard blood containers.
- Provided with a cylindrical drip chamber with pore size 200 micron filter to prevent passage of any blood clots, down the path.
- Flash ball type injection port for extra medication.
- Comes with smooth 150 cm long, kink resistant tube.
- Efficient roller controller for accurate adjustment of transfusion rate.
- DEHP Free, Latex Free

SUCTION CATHETER

Suction Tip and Catheter

Features

CODE: 02010105-02010424

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 50 cm.
- Size :- 5FG to 24FG.
- DEHP Free, Latex Free







Standard Connector







Atraumatic, soft & rounded closed tip with one/two lateral eyes

NASAL OXYGEN CANNULA

Nasal Oxygen Cannula

Features

CODE: 04080101-04080103

- Kink resistant medical grade tubing.
- Star lumen tube for better connection and avoid blockage.
- Efficiently administration of oxygen to the patient.
- Bio-compatible material of soft twin prong nasal tip ensure equal distribution of oxygen.
- DEHP Free, Latex Free



Paediatric







ORO-PHARYNGEAL AIRWAY

Oro-Pharyngeal Airway

Features

CODF: 04050101-04050108

- The oro-pharyngeal airway devices are made from the raw material of PE.
- Rounded atraumatic edges.
- Made from semi-rigid non toxic Polyethylene.
- Bite block to prevent biting of tongue and airway occlusion.
- Smooth airway path for easy cleaning and
- Color coded for easy identification of sizes & Individually packed, EO Sterile.
- Shelf life-5 Years & Size: 000, 00, 0, 1, 2, 3, 4, 5
- DEHP Free, Latex Free



Rebreathing Oxygen Face Mask

Features

CODE: 04010101-04010103

- Smooth and feathered edge of face mask for patient's comfort and reduce irritation points.
- Super smooth kink resistance tubing ensures uniform flow rates.
- Proximal end of tube is connected with funnel shape connector for easy connection with oxygen source.
- Star lumen main tube to avoid accidental blockage.
- Tube length: 210 cm.
- Available size :- Adult, Child, Pediatrics as per license.
- DEHP Free, Latex Free






ENDOTRACHEAL TUBE

Endotracheal Tube

Features

CODE: 04030101-04030215

- High Volume, low pressure cuff, maintains seal throughout ventilator cycle.
- X-ray detective line available.
- Thermosensitive PVC allows the tube to soften at body temperature to confirm airway anatomy
- Clear PVC tube with Visible marking for easy observation.
- Universal 15mm Connector at proximal end.
- Available with DEHP free Material, Latex Free & Sterile/ Disposable / Individually packed.



SPIROMETER EXERCISER

Spirometer - Lungs Exerciser

Features

CODE: 04100101

- Restores and maintains lung capacity in post operative patients by slow, synchronized deep breathing.
- Allows visual calibration and estimation of the patients progress.
- Strengthens primary and accessory respiratory muscles and conditions them.
- Enhances endurance of both inspiratory and expiratory muscles.
- Improves respiratory parameters, Improves maximal exercise capacity.
- Increases circulation of hormones in the blood which increase the blood flow to the heart, brain and lungs.
- DEHP Free, Latex Free



VENTILATOR CIRCUIT


Ventilator Circuit

Features

CODE: 04110101-04110202

- Re- sealable water-trap provides a perfect sealing while removal of excess collection of water from the water-traps giving a continuous flow.
- Made of high quality medical grade plastic with 22M-22F straight connector.
- Corrugated, Flexible and Light weight tubing 1.6 meter with single and double re-sealable water trap, 'Y Piece' with monitoring port.
- Individually packed in poly pack, Available sizes: Adult and Pediatric.







NEBULIZER MASK

Nebulizer Mask

Features

CODE: 04020101-04020102

- Soft, clear Aerosol Mask with anatomical form is ideal for long term use.
- Gently rolled, feathered edges with integrated nose bridge for extra comfort.
- Swivel connector for convenience of nebulization in horizontal and vertical position.
- Larger surface area provided by unique convex cone design, ensures maximum capillary action, and eliminates medicinal wastage.
- DEHP Free, Latex Free



Heat and Moisture Exchange Filter

Features

CODE: 04040101-04040102

- Provides effective protection against various types of particles including bacteria, viruses, and moisture droplets.
- Precisely engineered and easy to use device made up of high strength plastic material offering reliable performance.
- Provided with high efficiency electrostatic filters to address concerns associated with ventilated patients.
- The filters help protect the patient, the equipment, and the breathing circuit from contamination.
- Enhances particle capture efficiency and give a low and stable breathing resistance even when wet.
- DEHP Free, Latex Free

URI COLLECTO

Closed-Ended Wearable Urine Collection Bag

CODE: 03010105-03010304

- Super smooth kink resistance tube provided with universal tapered connector.
- Specially designed hook or hanger facilities for carrying, handling and holding the tube in upright position.
- Efficient non-return valve prevents the back flow.
- Bag graduated in ml to indicate the quantity of urine collected.
- Transparent sheeting allows visual inspection.
- Also available in push instead of pull value, top outlet, bottom outlet.
- Latex Free









P-DRAIN BALLOON CATH

Foley Balloon Catheter

Features

CODE: 03020106-03020426

- Non-toxic, bio-compatible and extra smooth for maximum patient comfort.
- Symmetrical balloon, rounded sealed tip and hard non-return.
- X-ray opaque line allows for confirmation of intubated tube using X-ray.
- Soft and uniformly inflated balloon makes the tube sit well against the bladder.
- Smooth round shaft can minimize trauma during insertion and withdrawal.
- Comes as 2-way or 3-way design. 3-way design helps in irrigation of bladder and sometimes for therapeutic instillation.
- Colour coded for easy identification.




NELATON CATHETER

Nelaton Catheter

Features

CODE: 03020506-03020624

- Nelaton catheters are used for short term bladder catheterization.
- Manufactured from non-toxic, non-irritant medical grade PVC compatible with catheter lubricants.
- Frozen surface tubing for super smooth intubation.
- The presence of radio opaque line throughout the catheter tube.
- The distal end is coned for non-traumatic introduction with two lateral eyes for efficient drainage.
- Funnel shape connectors are color coded for instant identification of sizes.
- Straight packed in peelable soft blister pack & Sterile, ready for use.



RYLE'S TUBE

Ryle's Tube

Features

CODE: 02020106-02020124

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 40, 50 & 100 cm.
- DEHP free material
- Size :- 06 FG to 24 FG.







LEVINE TUBE

Levine Tube

Features

CODE: 02020106-02020120

- Material: non-toxic medical PVC.
- Smooth and transparent tube (or frosted tube).
- Rounded opened distal end.
- Marked at intervals from tip for accurate placement.
- Radio opaque line throughout the length for X-ray



INFANT FEEDING TUBE

Feeding Tube

Features

CODE: 02030104-02030324

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 40, 50 & 100 cm.
- Size :- 5 FG to 24 FG instead of 4 to 10.
- DEHP free material.



Female Mount



SB DRAIN KIT

Under Water Seal Drainage System

CODE: 08150101-08150103

- Moderate to heavy drainage.
- Accurate, graduated marked on the bottle to determine the amount of collection.
- Clearly marked initial level ensures effective under water seal.
- Complete positive and negative pressure controls.
- Proprietary unit for pneumonectomy.
- Color-coded, needleless Quick-disconnect tubing for patient blood sampling.
- Generous collection chambers holding up to 500, 1200 & 2000 cc of fluid.
- Sterile, individually packed.



YANKAUER SUCTION TUBE & SET

CODE: 06020101-06020102

Yankauer Suction Tube & Set with Handle

Features

- Tube length is 250 cm.
- Soft, flexible & kink resistant tube
- Ribs on the outer surface for better grasping.
- Siliconized sleeve on the handle for smooth operation.
- Suitable for intra-surgical removal of secretion and body fluids.
- Thumb control Yankauer handle available in standard or crown tip.
- DEHP Free, Latex Free





UMBILICAL ARTERY CATHETER

Umblical Artery Catheter

Features

CODE: 08030101-08030105

- Designed for intermittent or continuous access to the umbilical vessels of newborn or pre-mature infants.
- Suitable for monitoring blood pressure, withdrawal of blood for sampling without repeated needle pricks, intra venous
- Infusion and exchange transfusion etc.
- Smooth round tip helps easy cannulation and silk finish surface further facilitates the passage of catheter in the vein / artery.
- Open distal end without lateral eyes, eliminates the chance of clot formation in the blind spaces.
- Sterile, ready for use.

UMBILICAL DEVICE

Umbilical Occlusion Device

CODF: 08020101

- Designed finger grip provision for easy to use.
- High quality Bio-compatible material.
- Serration along the length prevent slipping of the umbilical cord.
- Manufactured from non toxic medical grade polymer.
- Easy Re-open facilities.
- DEHP Free, PVC Free, Latex Free









Mfg. Facility: Unit I: Plot No. 352, Pace City-2, Sector 37, Gurugram - 122004, Haryana, INDIA

Unit II: 63 Sub Division 5, Industrial Area NIT Faridabad - 121005, Haryana, INDIA

 $Telephone\ No.:\ +911244222462\ |\ Email:\ info@sbrgmedtech.in\ |\ www.sbrgmedtech.com$

Regd. Office: A-36, First Floor, Guru Nanak Pura, Laxmi Nagar, East Delhi, Shahdara, Delhi-110092